Frame Mount Pop-up

( ) Preliminary Specifications

(✱) Final Specifications

Publisher : SoundGraph, Inc.

Published Date : 2024.05.16

Guide version : V1.0

<Change History>

Version	History / Contents	Date	Writer
V1.0	• Initial Draft	2024-05-16	Ricky Baek

1. General

Physical	
Material	Steel
Metal Sheet Thickness	Wall Plate THK=2mm cold-rolled sheet, Bracket Arm THK=2mm cold-rolled sheet, VESA Panel THK=1.5mm cold-rolled sheet
Surface Finish	Powder Coating
Color	Fine Texture Black
Fit Screen Size	37" ~ 70"
VESA Compatible	200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400
Max. Mounting Hole	600 x 400
Weight Capacity	45kg (99 lbs)
Strength Tested	4 Times Approved
Profile	68 ~ 215mm(2.7" ~ 8.5")
Fine Adjustment(Depth/Height)	0/9mm (0"/0.35")
Screen Level	+3°~ -3°
Installation	Solid Wall
Anti-theft	Yes
Cable Management	No
Accessory Kit Package	Normal/Ziplock Polybag, Compartment Polybag

2. Mechanical Dimension

